AFFIDAVIT OF PUBLICATION

IN THE MATTER NOTICE OF PUBLICATION

Ad Number 524532

PUBLIC NOTICE

SW CLEAN AIR AGENCY

STATE OF WASHINGTON COUNTY OF COWLITZ

MELANIE CRISMAN being duly sworn says that she is the CHIEF CLERK of THE DAILY NEWS. And that THE DAILY NEWS, published in Cowlitz County, has been approved as a Legal newspaper by order of the Superior court of the State of Washington of Cowlitz County, and that the Annexed printed copy is a true copy of the notice in the above entitled matter as it was printed in the regular entire issue of said paper and online at www.tdn.com, for a period of 1 insertion commencing on May 8, 2015 and ending on May 8, 2015, and that said newspaper was regularly distributed to its subscribers during all of said period, and that said notice was published in said paper and not in a supplement form. That the full amount of the fee charged for said forgoing publication is the sum of \$168.00 and \$3.50 line for the first insertion and \$3.00 per line for each subsequent insertion. There is also an additional charge of \$10.00 for every additional affidavit copy over two copies.

MELAME CRISMAN.

Subscribed and sworn to before me this

12th of May, 2015

JENNIFER L. SMITH

Public for the State of Washington

sding in Cowlitz County

Notary Public State of Washington JENNIFER L SMITH MY COMMISSION EXPIRES APRIL 13, 2018

PUBLIC NOTICE

Notice to the public is hereby given that
the Southwest Clean Air Agency (SWCAA) has made a preliminary de-termination to issue Air Discharge Per-mit number 15-3131 to Owens-Brockway Glass Container - Plant 2 for operation of Hot End Coating Lines, one material of Hot End Coating Lines, one Trialerial handling baghouse, mold swabbing and increased emissions of volatile organic compounds. The Hot End Coating equipment utilizes monobutyfitin trichlo-ride (MBTT) to apply a thin layer of tin oxide to the outside of bottles. The acoxide to the outside of potties. The ac-tivity produces emissions of MBTT which is a toxic air pollutant. A Health Impacts Assessment of these emis-sions has been reviewed by the Washington Department of Ecology (WDOE).
WDOE's review finds that the proposed emission rates do not pose an unac-

emission rates do not pose an unacceptable risk to the public.
Copies of the draft Air Discharge Permit, associated Technical Support Document (TSD), and the MBTT Health Impacts Assessment and review are available for review at 11815 NE 99th Street, Suite 1294, Vancouver, Washington, Monday through Friday from 7:00 a.m. to 5:30 p.m. Electronic copies of the draft permit and TSD are available for review in the permit section of SWCAA's internet website SWCAA's internet website

SWCAA sinderne wessie (http://www.swdeaneir.corp/emitprelims.asp). This material will be made available in other media, if necessary. All written or oral comments must be received by SWCAA within 30 days after this publication. Final action by SWCAA to be a supplied to the state of the supplied of the supplie publication. Hinal action by SWCAA to approve, modify, or deny the proposal will be taken within 10 days after the close of the comment period. If there is a demonstrated significant public interacts a sublice median much be had at the est, a public meeting may be held at the close of the public comment period. Questions and comments should be diouestions and comments should be directed to Clint Lamoreaux at (360) 574-3058 ext. 131, <u>clint@swdeanair.org</u>, or at the address listed above.
Publish: May 8, 2015